


**To:** Kordzi, Joe[Kordzi.Joe@epa.gov]  
**From:** Kelly, Dan  
**Sent:** Thur 3/23/2017 3:13:45 PM  
**Subject:** RE: BART CBI scrubber upgrade analysis - Luminant

Thanks.

	
<b>Daniel Jude Kelly</b>	Vistra Energy
<b>Vice President</b>	1601 Bryan Street
<b>Associate General Counsel</b>	43 <sup>rd</sup> Floor
Dan.Kelly@vistraenergy.com	Dallas, TX 75201
vistraenergy.com	o 214.812.7182

**From:** Kordzi, Joe [mailto:Kordzi.Joe@epa.gov]  
**Sent:** Tuesday, March 21, 2017 3:34 PM  
**To:** Kelly, Dan <dan.kelly@vistraenergy.com>  
**Cc:** Stenger, Wren <stenger.wren@epa.gov>  
**Subject:** RE: BART CBI scrubber upgrade analysis - Luminant

EXTERNAL EMAIL

Dan,

Please see section 5.3.4 of the TSD. We did not update the cost analysis we used in our previous reasonable progress FIP, finalized in January, 2016—we only updated the tonnages used in the cost-effectiveness which are in the TSD. Therefore, you already have the most up to date cost analysis since we previously provided it to Luminant during the public comment period for that reasonable progress FIP. If you have misplaced it and would like another copy, I would be

happy to provide it. I will be back in the office Thursday if that is the case.

**From:** Stenger, Wren

**Sent:** Tuesday, March 21, 2017 11:11 AM

**To:** Kelly, Dan <[dan.kelly@vistraenergy.com](mailto:dan.kelly@vistraenergy.com)>; Kordzi, Joe <[Kordzi.Joe@epa.gov](mailto:Kordzi.Joe@epa.gov)>

**Subject:** RE: BART CBI scrubber upgrade analysis - Luminant

Dan, I am copying Joe Kordzi, who is the lead on the Tx BART. He will coordinate your request.

Sent from my Windows Phone

---

**From:** Kelly, Dan

**Sent:** 3/21/2017 10:54 AM

**To:** Stenger, Wren

**Subject:** BART CBI scrubber upgrade analysis - Luminant

Wren,

I am writing to obtain EPA's scrubber upgrade analysis for the Texas BART proposal that contains CBI information for Luminant's facilities. The proposal notes that EPA "invite[s] the [affected] facilities . . . to make arrangements with us to view our complete updated cost analysis for their units." 82 Fed. Reg. 912, 928 (Jan. 4, 2017).

Please provide this document to me in electronic format at your earliest convenience. I'd be happy to send someone over to collect the disc when it is ready.

Regards,

Dan



**Daniel Jude Kelly**

**Vice President**

**Associate General Counsel**

[Dan.Kelly@vistraenergy.com](mailto:Dan.Kelly@vistraenergy.com)

[vistraenergy.com](http://vistraenergy.com)

Vistra Energy  
1601 Bryan Street

43<sup>rd</sup> Floor

Dallas, TX 75201

o 214.812.7182